

Environmental aspects of NAMs. Some reflections

José V. Tarazona, DVM, PhD

Research Professor on Environmental Health Risk Assessment Science

Spanish National Environmental Health Centre

Instituto de Salud Carlos III, Spain



Centro Nacional de Sanidad Ambiental

07/03/2024

Disclaimer: The views are those from the author. Figures have been adapted from Creative Commons

CropLife Europe's annual conference, 6 March 2024



NAMs and Plant Protection Products ERA

- NAMs for implementing 3Rs
- NAMs as source of mechanistic Next-Generation ERA
 - Additional opportunities/challenges
 - (Eco)toxicological mechanisms as drivers for predicting environmental impacts

NAMs for implementing 3Rs

- ERA includes a large set of organisms from different taxa
- Only vertebrate testing is considered “animal testing”
 - Fish
 - Birds
 - Mammals
- Embryos up to specific development stages are excluded
 - Embryo based NAMs



Acute toxicity

- Fish Embryo Acute Toxicity (FET) – TG 236
- Fish Cell Line Acute Toxicity – TG 249
- In silico, QSAR, read-across
- Species sensitivity WoE


Chronic toxicity

- In silico, QSAR, read-across
- Species sensitivity WoE

Bioaccumulation

- Hyalella azteca Bioconcentration Test (HYBIT)- Draft TG
- In vitro intrinsic clearance and extrapolation TG 280
- In silico, QSAR, read-across
- Species sensitivity WoE

Do you “really” need new fish data for C&L or Aquatic Toxicity PoD?



NAMs for Mechanistic Hazard assessment


20th Century paradigm



21st Century Toxicology

Apical endpoints
No Adverse Effect Level
Taxonomic groups


No Adverse Effect
Level / AF



Intermediate endpoints
Mechanistic connectors

Drivers for
ecological
impacts

Developing new paradigms for environmental risk
assessment based on mechanistic understanding of
biology and ecology at real environmental conditions





cnsa

Centro Nacional de Sanidad Ambiental

Instituto
de Salud
Carlos III

Additional opportunities, challenges, and future






Pesticidal mode of action
(Eco)toxicological modes of action

Ecological consequences:

- Ecosystem functions
- Ecosystem services
- Biodiversity



**Next Generation
Protection Goals?**




**Realistic Landscape
Agricultural Conditions**

Spatial and temporal dimensions

Differentiation for terrestrial and aquatic

Exposure drivers linked to landscape
structure in the XY plane

Effect drivers built on Z dimension



Temporal iterations

- Pesticide applications
- Fate and behaviour
- Exposure pathways
- Other agricultural management practices
- Individuals and populations behaviour
- Exposure dynamics
- ...

Concluding remarks

- **NAMs for implementing 3Rs**
 - **Focus on fish testing**
- **NAMs as source of mechanistic knowledge: pesticidal and toxicological modes of action**
 - **Additional opportunities: amphibians and endocrine disruption**
 - **Additional challenges: coverage of mammals**
 - **The future: Next-Generation and Landscape ERA**
 - **(Eco)toxicological mechanisms as drivers for predicting aggregated and combined environmental impacts**
 - **Science-based sustainability assessment of PPP use**

Thank you!



International Journal of
Environmental Research
and Public Health



Article

A Simplified Population-Level Landscape Model Identifying Ecological Risk Drivers of Pesticide Applications, Part One: Case Study for Large Herbivorous Mammals

David Tarazona ¹, Guillermo Tarazona ² and Jose V. Tarazona ^{3,*}

Ecotoxicology and Environmental Safety 266 (2023) 115577



Contents lists available at ScienceDirect

Ecotoxicology and Environmental Safety

journal homepage: www.elsevier.com/locate/ecoenv



Environmental risk assessment of PPP application in European soils and potential ecosystem service losses considering impacts on non-target organisms

Erik Urionabarrenetxea ^a, Carmen Casás ^a, Nerea García-Velasco ^a, Miguel J.G. Santos ^b, Jose V. Tarazona ^c, Manu Soto ^{a,*}

^a Cell Biology in Environmental Toxicology (CBET) Research Group, Dept. Zoology and Animal Cell Biology, Faculty of Science and Technology and Research Centre for Experimental Marine Biology and Biotechnology (PIE-UPV/EHU), University of the Basque Country UPV/EHU, E-48940 Leioa, Basque Country, Spain

^b European Food Safety Authority (EFSA), Via Carlo Magno 1/A, 43126 Parma, Italy

^c Risk Assessment Unit, Spanish National Environmental Health Centre, Instituto de Salud Carlos III, Madrid, Spain



Chapter 23

In Silico Methods for Environmental Risk Assessment: Principles, Tiered Approaches, Applications, and Future Perspectives

Maria Chiara Astuto, Matteo R. Di Nicola, José V. Tarazona, A. Rortais, Yann Devos, A. K. Djien Liem, George E. N. Kass, Maria Bastaki, Reinhilde Schoonjans, Angelo Maggiore, Sandrine Charles, Aude Ratier, Christelle Lopes, Ophelia Gustin, Tobin Robinson, Antony Williams, Nynke Kramer, Edoardo Carneseccchi, and Jean-Lou C. M. Dorne



Available online at www.sciencedirect.com

ScienceDirect

Current Opinion in
Environmental Science & Health

The use of new approach methodologies for the environmental risk assessment of food and feed chemicals

Matteo Riccardo Di Nicola ^{1,2}, Irene Cattaneo ³, Alexis V. Nathanail ³, Edoardo Carneseccchi ³, Maria Chiara Astuto ³, Melina Steinbach ³, Antony John Williams ⁴, Sandrine Charles ⁵, Ophelia Gustin ^{5,6,7}, Christelle Lopes ⁵, Dominique Lamonica ⁵, Jose Vicente Tarazona ⁸ and Jean Lou C. M. Dorne ³



cnsa

Centro Nacional de Sanidad Ambiental

Contact: jtarazona@isciii.es

isc
Instituto
de Salud
Carlos III